L	Hits	Search Text	DB	Time stamp
Number				
2	51	(365/\$.ccls. and dram and read\$3 and writ\$3 and address and (word with line with portion with (read or write)) and ((read or write) with select with	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/29 05:33
		address) ) and (read\$3 or writ\$3) with parallel	IBM_TDB	
3	3	<pre>(read or write) same (dram or (dynamic with memory)) same (bit near line\$1) same (select with portion)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 05:44
	25	<pre>dram same (word near line\$1) same (bit near line\$1) same address same ((select or activat\$3) WITH PORTION)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 05:54
6	35	365/\$.CCLS. AND dram same (word near line\$1) same (bit near line\$1) same address same ((select or activat\$3) WITH (PORTION\$1 OR SEGMENT\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 05:56
5	40	<pre>dram same (word near line\$1) same (bit near line\$1) same address same ((select or activat\$3) WITH (PORTION\$1 OR SECTION\$1 OR SEGMENT\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 07:16
55	31	365/220,189.01,189.03,189.04,63,51,230.08, and dram and read\$3 and writ\$3 and address and (word with line with portion with (read or write)) and ((read or write) with select with address)	200PA6;238.5 US-PGPUB; EPO; JPO; DERWENT; IBM TDB	.20:14:/.09/29 08:02
57	17	365/220,189.01,189.03,189.04,63,51,230.08, and dram same address and (word with line with portion with (read or write)) and ((read or write) with select with address)		.20c145/.09/29 07:45
58	11	365/220,189.01,189.03,189.04,63,51,230.08, and dram same (word with line with portion with (read or write)) and ((read or write) with select with address)		.20:014s/.09/29 07:47
60	1	365/220,189.01,189.03,189.04,63,51,230.08, and dram same (word with line with portion) same ((read or write) with select with address)		.20c14s/.09/29 07:48
61	42	365/220,189.01,189.03,189.04,63,51,230.08, and memory with (writ\$3 or read\$3) with word near5 bit with parallel	200PAT;238.5 US-PGPUB; EPO; JPO; DERWENT; IBM TDB	.20d14s/.09/29 07:50
62	57	365/220,189.01,189.03,189.04,63,51,230.08, and (word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit)		. <del>20:14/</del> .09/29 07:57
63	- 7	365/220,189.01,189.03,189.04,63,51,230.08, and (word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit) and ((read or write) with parallel)		.2014s/09/29 07:58
64	145	365/220,189.01,189.03,189.04,63,51,230.08, and (dram or (dynamic with memory)) and (bit near line) and ((word near line) with (pluralit\$3 or multiple\$1)) with (portion\$1 or section\$1 or segment\$1)		.20 <b>:14</b> /.09/29 08:05

r			_	
65	45	365/220,189.01,189.03,189.04,63,51,230.08,		
		and (dram or (dynamic with memory)) and	US-PGPUB;	08:05
		(bit near line) SAME (word near line)	EPO; JPO;	
		<pre>with (pluralit\$3 or multiple\$1) with (portion\$1 or section\$1 or segment\$1)</pre>	DERWENT;	
66	15	365/220,189.01,189.03,189.04,63,51,230.08,	IBM_TDB	2014/00/20
00		and (dram or (dynamic with memory)) SAME	US-PGPUB;	08:12
		(bit near line) SAME (word near line)	EPO; JPO;	00.12
		with (pluralit\$3 or multiple\$1) with	DERWENT;	
		(portion\$1 or section\$1 or segment\$1)	IBM TDB	
67	8	365/220,189.01,189.03,189.04,63,51,230.08,		.200145/.09/29
		and (dram or (dynamic with memory)) SAME	US-PGPUB;	10:09
		(bit near line) SAME (word near line)	EPO; JPO;	
		with (READ OR WRITE) with (portion\$1 or	DERWENT;	
		section\$1 or segment\$1)	IBM_TDB	
68	42	365/220,189.01,189.03,189.04,63,51,230.08,		
		and (dram or (dynamic with memory)) SAME	US-PGPUB;	08:36
		(bit near line) SAME (word near line)	EPO; JPO;	
		SAME (READ OR WRITE) same (portion\$1 or	DERWENT;	
69	3	section\$1 or segment\$1)	IBM_TDB	2004/00/20
U D	3	("5361223"   "5867430"   "5930195").PN.	USPAT	2004/09/29 08:42
70	4	("4730279"   "4751680"   "5666324"	USPAT	2004/09/29
. •	1	"5724292").PN.	ODINI	08:44
71	2	365/220,189.01,189.03,189.04,63,51,230.08,	286PA8:238 5	
_		and (writ\$4 or read3) same parallel same	US-PGPUB;	09:16
	]	(((word adj line) or wordline) with ((bit	EPO; JPO;	· · · · <del>- ·</del>
		adj line\$1) or bitline\$1)) same portion	DERWENT;	
			IBM TDB	
72	8	("4916700"   "4941129"   "4974373"	USPĀT	2004/09/29
		"5029330"   "5043947"   "5301142"		08:48
		"5317536"   "5369619").PN.		
1	71	365/\$.ccls. and dram and read\$3 and	USPAT;	2004/09/29
		writ\$3 and address and (word with line	US-PGPUB;	08:49
		with portion with (read or write)) and	EPO; JPO;	
		((read or write) with select with	DERWENT;	
73	5	address) ("5740109"   "5862074"   "5978264"	IBM_TDB USPAT	2004/09/29
, ,	]	"5999450"   "6154391").PN.	OSPAI	09:15
75	151	365/220,189.01,189.03,189.04,63,51,230.08,	2016 PAR: 238 5	
. •		and ((writ\$4 or read3) with method) and	US-PGPUB;	09:19
		(dram or (dynamic with memory)) and	EPO; JPO;	
		parallel and (((word adj line) or	DERWENT;	
		wordline) with ((bit adj line\$1) or	IBM TDB	
76	1	B&&1220\$189.81d186008;089104r63e&t08\$108,	200PA6;238.5	.200145/.09/29
		emds@gmemt\$4)or read3) with method) and	US-PGPUB;	09:21
		(dram or (dynamic with memory)) same	EPO; JPO;	
		parallel same (((word adj line) or	DERWENT;	
	[ .	wordline) with ((bit adj line\$1) or	IBM_TDB	0004/00/05
77	2			
		andsegment\$4) or read3) with method) same	US-PGPUB;	09:44
		parallel and (dram or (dynamic with	EPO; JPO;	
		<pre>memory)) same (((word adj line) or wordline) with ((bit adj line\$1) or</pre>	DERWENT;	
78	478	biglbagashi.same (portion\$1 or section\$1	<pre>IBM_TDB USPAT;</pre>	2004/09/29
, 0	4,0	or segment\$1)	US-PGPUB;	09:45
		or segmenter;	EPO; JPO;	05.45
			DERWENT;	
			IBM TDB	*
79	66	sugibayashi.in. and 365/\$.ccls.	USPAT;	2004/09/29
			US-PGPUB;	09:45
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
80	21	sugibayashi.in. and 365/\$.ccls. and DRAM	USPAT;	2004/09/29
			US-PGPUB;	09:45
			EPO; JPO;	
			DERWENT;	
01		/#5313433#   #5564030#   #5001100#	IBM_TDB	2004/00/20
81	6	,	USPAT	2004/09/29
	<u> </u>	"6166988"   "6188637"   "6356976").PN.		09:51

,				
82	5	("4758990"   "4878203"   "4926387"   "4939691"   "5157631").PN.	USPAT	2004/09/29 09:54
83	10	("4839864"   "5083294"   "5126973"   "5243570"   "5257229"   "5262993"	USPAT	2004/09/29 09:54
		"5262994"   "5265055"   "5289417"   "5299164").PN.		
84	7	("4656610"   "4914632"   "4918662"   "4987560"   "5083294"   "5124948"   "5243570").PN.	USPAT	2004/09/29 09:55
85	1	"3660819".PN.	USPAT	2004/09/29 09:55
86	1	"5467316".PN.	USPAT	2004/09/29 09:55
101	1	10/623831	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/29 10:09
-	5	(word adj line\$1) with (bit adj line\$1) with address\$3 with portion with (writ\$4 or read3) with parallel	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24 14:30
-	5	("5043940"   "5226015"   "5388083"   "5406529"   "5428569").PN.	USPAT	2004/09/24 07:55
_	19	<pre>(word adj line\$1) same (bit adj line\$1) same address\$3 same portion same (writ\$4 or read3) same parallel</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24 08:07
-	8	("4916700"   "4941129"   "4974373"   "5029330"   "5043947"   "5301142"   "5317536"   "5369619").PN.	USPAT	2004/09/24 08:05
_	1	<pre>(word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit) same (writ\$4 or read3) same parallel</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24 08:10
-	2	("5249155"   "5258954").PN.	USPĀT	2004/09/24 08:09
_	9	<pre>(word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit) same PORTION</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24 08:11
-	208	<pre>(word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 07:56
-	181	365/\$.ccls. and (word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24
_	38	365/189.04,230.06.ccls. and (word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24 08:35
_	5	(word adj line\$1) same (bit adj line\$1) same (address\$3 with decod\$2) same (drive with circuit) same (read\$3 or writ\$4) same parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24 08:47
-	7	(word adj line\$1) same (bit adj line\$1) same address\$3 same (drive with circuit) same (read\$3 or writ\$4) same parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/24 08:47
-	2	("5249155"   "5258954").PN.	IBM_TDB USPAT	2004/09/24 08:49

-	2	("5249155"   "5258954").PN.	USPAT	2004/09/24
				08:53
-	442	memory with (writ\$3 or read\$3) with word	USPAT;	2004/09/29
		near5 bit with parallel	US-PGPUB;	07:49
		_	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	16	memory with (writ\$3 or read\$3) with word	USPAT;	2004/09/24
		near5 bit with parallel with portion	US-PGPUB;	10:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	1 / , , ,	USPAT	2004/09/24
		"5615151"   "5774397").PN.		10:50
-	16	·······	USPAT;	2004/09/24
		parallel) with portion with word near5	US-PGPUB;	10:59
		bit	EPO; JPO;	
	Ì		DERWENT;	
			IBM_TDB	
-	6	<b>,</b>	USPAT	2004/09/24
		"5943260"   "6023781"   "6064611").PN.		11:08
-	47	( to	USPAT;	2004/09/24
		(((word adj line) or wordline) with ((bit	US-PGPUB;	14:37
	:	adj line\$1) or bitline\$1)) same portion	EPO; JPO;	
			DERWENT;	
	27	205/0 /	IBM_TDB USPAT;	2004/09/29
-	2/	365/\$.ccls. and (writ\$4 or read3) same	USPAT; US-PGPUB;	08:46
		parallel same (((word adj line) or	EPO; JPO;	00:40
		wordline) with ((bit adj line\$1) or   bitline\$1)) same portion	DERWENT;	
		Diciliesi)  Same Portion	IBM TDB	1
	L		מעד המדן	1